FORUS group



OUR EXPERTISE







OUR MARITIME DIVISION

DESIGN & CONSTRUCTION OF MARINAS

LUBRICANTS

Por Lataxa

<u>É.C.</u>

VESSELS





OUR MARITIME DIVISION

DESIGN & CONSTRUCTION OF MARINAS

LUBRICANTS



VESSELS





DESIGN & CONSTRUCTION












DESIGN & CONSTRUCTION
















DESIGN & CONSTRUCTION









OUR MARITIME DIVISION

DESIGN & CONSTRUCTION OF MARINAS

LUBRICANTS

Por Lataxa

<u>É.C.</u>

VESSELS





OUR MARITIME DIVISION

DESIGN & CONSTRUCTION OF MARINAS

LUBRICANTS

- Charles Maxim

VESSELS





LUBRICANTS PRODUCT RANGE









LUBRICANTS PRODUCT RANGE









OUR BRANDS











Quality Control

- ISO 9001:2015
- ISO 14001:2015
- ISO 45001:2018

Trademark Certification

API Certification













OUR MARITIME DIVISION

DESIGN & CONSTRUCTION OF MARINAS

LUBRICANTS

Por Lataxa

<u>É.C.</u>

VESSELS





OUR MARITIME DIVISION

DESIGN & CONSTRUCTION OF MARINAS


LUBRICANTS

<u>.</u>

VESSELS











Built in Sweden

Fully refurbished 2017 under IACS classification society













Built in France

Fully refurbished 2018 under IACS classification society










Prospect for Regional shipping in Indian ocean










































"

"

Shipping is intrinsically-linked to economic growth and trade. And Trade is about empowerment.

Our all weather RoPax will stimulate trade, education and employment in the region and reduce cargo travel time thus empowering the Indian ocean.

We hope you have a wonderful New Year's celebration with your loved ones and look forward to collaborating with you closely in the coming year.



FORUS





moving things bornard THANK YOU





www.forus.group

FORUS group



Capabilities

- 200 MT Blending capacity at one time with fully automated blending process complying with licensed API and SAE
- Capable to blend 10,400 MT per month

Blending Facilities

• 125,000MT per anum blending capacity (single shift)





Expertise

- Trained & Senior Staff
- Accurate Lubricants Specification
- Cost effective pack selection
- Regional product knowledge
- Familiar with products specification over the Globe Reduced process tim

Polymerization

- Silverson Solublization
- Automated Thermal Control
- Oxidation Control Technology
- Auto Online Process Telecast
- Fully automated /By SIEMENS Simatic.





Filing

- Fully Programmed and by SIEMENS controlled automatic filling lines
- Volume filler range from 100ml to 1,000liters
- Nitrogen Purging
- Automated weight rejection
- 0% Contamination filling procedure

Storage

- In house 5,000MT base oil Storage API 650 tank specification
- 600MT finish Bulk Storage
- 200MT Additives Bulk Storage with International Standards (3 months)
- Empty containers 45 TEU
- Finish Products Containers 30 TEU





Loading

- Six loading bay with Platform Connections
- International SOP for loading procedures
- Based on FIFO
- Fully Equipped with different size of loading instruments
- Smart Space Management
- Quantity and Quality Assurance











Certified Additives



















Storage Tank Certification

energy 650 Storage Tanks That ensures no contamination while storing the Base Oils





Laboratory Test







